


RECEIVED  
CENTRAL FAX CENTER  
MAY 05 2008

Amendments to Claims

What is claimed is:

1. (currently amended) A compound of Formula I, its *N*-oxide or an agronomic or nonagronomic suitable salt thereof



I

wherein:

Y and V are each independently N or CR<sup>4a</sup>;

W is N, CH or CR<sup>6</sup>;

R<sup>1</sup> is H; or C<sub>1</sub>-C<sub>6</sub> alkyl, C<sub>2</sub>-C<sub>6</sub> alkenyl, C<sub>2</sub>-C<sub>6</sub> alkynyl or C<sub>3</sub>-C<sub>6</sub> cycloalkyl, each optionally substituted with 1 to 5 substituents independently selected from the group consisting of halogen, CN, NO<sub>2</sub>, hydroxy, C<sub>1</sub>-C<sub>4</sub> alkoxy, C<sub>1</sub>-C<sub>4</sub> alkylthio, C<sub>1</sub>-C<sub>4</sub> alkylsulfinyl, C<sub>1</sub>-C<sub>4</sub> alkylsulfonyl, C<sub>2</sub>-C<sub>4</sub> alkoxycarbonyl, C<sub>1</sub>-C<sub>4</sub> alkylamino, C<sub>2</sub>-C<sub>8</sub> dialkylamino and C<sub>3</sub>-C<sub>6</sub> cycloalkylamino; or

R<sup>1</sup> is C<sub>2</sub>-C<sub>6</sub> alkylcarbonyl, C<sub>2</sub>-C<sub>6</sub> alkoxycarbonyl, C<sub>2</sub>-C<sub>6</sub> alkylaminocarbonyl or C<sub>3</sub>-C<sub>8</sub> dialkylaminocarbonyl;

R<sup>2</sup> is H, C<sub>1</sub>-C<sub>6</sub> alkyl, C<sub>2</sub>-C<sub>6</sub> alkenyl, C<sub>2</sub>-C<sub>6</sub> alkynyl, C<sub>3</sub>-C<sub>6</sub> cycloalkyl, C<sub>1</sub>-C<sub>4</sub> alkoxy, C<sub>1</sub>-C<sub>4</sub> alkylamino, C<sub>2</sub>-C<sub>8</sub> dialkylamino, C<sub>3</sub>-C<sub>6</sub> cycloalkylamino, C<sub>2</sub>-C<sub>6</sub> alkoxycarbonyl or C<sub>2</sub>-C<sub>6</sub> alkylcarbonyl;

R<sup>3</sup> is H; G; C<sub>1</sub>-C<sub>6</sub> alkyl, C<sub>2</sub>-C<sub>6</sub> alkenyl, C<sub>2</sub>-C<sub>6</sub> alkynyl or C<sub>3</sub>-C<sub>6</sub> cycloalkyl, each optionally substituted with 1 to 5 substituents independently selected from the group consisting of halogen, G, CN, NO<sub>2</sub>, hydroxy, C<sub>1</sub>-C<sub>4</sub> alkoxy, C<sub>1</sub>-C<sub>4</sub> haloalkoxy, C<sub>1</sub>-C<sub>4</sub> alkylthio, C<sub>1</sub>-C<sub>4</sub> alkylsulfinyl, C<sub>1</sub>-C<sub>4</sub> alkylsulfonyl, C<sub>2</sub>-C<sub>6</sub> alkoxycarbonyl, C<sub>2</sub>-C<sub>6</sub> alkylcarbonyl, C<sub>3</sub>-C<sub>6</sub> trialkylsilyl, phenyl, phenoxy and 5- or 6-membered heteroaromatic ring, each phenyl, phenoxy and 5- or 6-membered heteroaromatic ring optionally substituted with 1 to 3 substituents independently selected from R<sup>14</sup>; C<sub>1</sub>-C<sub>4</sub> alkoxy; C<sub>1</sub>-C<sub>4</sub> alkylamino; C<sub>2</sub>-C<sub>8</sub> dialkylamino; C<sub>3</sub>-C<sub>6</sub> cycloalkylamino; C<sub>2</sub>-C<sub>6</sub> alkoxycarbonyl; C<sub>2</sub>-C<sub>6</sub>

alkylcarbonyl; or phenyl optionally substituted with 1 to 3 substituents independently selected from R<sup>14</sup>; or

R<sup>2</sup> and R<sup>3</sup> are taken together with the nitrogen to which they are attached to form a ring containing 2 to 6 atoms of carbon and optionally one additional atom of nitrogen, sulfur and oxygen, said ring optionally substituted with 1 to 4 substituents independently selected from the group consisting of C<sub>1</sub>-C<sub>2</sub> alkyl, halogen, CN, NO<sub>2</sub> and C<sub>1</sub>-C<sub>2</sub> alkoxy;

G is a 5- or 6-membered nonaromatic carbocyclic or heterocyclic ring, optionally including one or two ring members independently selected from the group consisting of C(=O), S(O) [[or]] and S(O)<sub>2</sub> and optionally substituted with 1 to 4 substituents independently selected from the group consisting of C<sub>1</sub>-C<sub>2</sub> alkyl, halogen, CN, NO<sub>2</sub> and C<sub>1</sub>-C<sub>2</sub> alkoxy;

R<sup>4a</sup> and R<sup>4b</sup> are each independently H, C<sub>1</sub>-C<sub>6</sub> alkyl, C<sub>2</sub>-C<sub>6</sub> alkenyl, C<sub>2</sub>-C<sub>6</sub> alkynyl, C<sub>3</sub>-C<sub>6</sub> cycloalkyl, C<sub>1</sub>-C<sub>6</sub> haloalkyl, C<sub>2</sub>-C<sub>6</sub> haloalkenyl, C<sub>2</sub>-C<sub>6</sub> haloalkynyl, C<sub>3</sub>-C<sub>6</sub> halocycloalkyl, halogen, CN, SCN, NO<sub>2</sub>, hydroxy, C<sub>1</sub>-C<sub>4</sub> alkoxy, C<sub>1</sub>-C<sub>4</sub> haloalkoxy, C<sub>1</sub>-C<sub>4</sub> alkylthio, C<sub>1</sub>-C<sub>4</sub> alkylsulfinyl, C<sub>1</sub>-C<sub>4</sub> alkylsulfonyl, C<sub>1</sub>-C<sub>4</sub> alkylsulfonyloxy, C<sub>1</sub>-C<sub>4</sub> haloalkylthio, C<sub>1</sub>-C<sub>4</sub> haloalkylsulfinyl, C<sub>1</sub>-C<sub>4</sub> haloalkylsulfonyl, C<sub>1</sub>-C<sub>4</sub> haloalkylsulfonyloxy, C<sub>1</sub>-C<sub>4</sub> alkylamino, C<sub>2</sub>-C<sub>8</sub> dialkylamino, C<sub>3</sub>-C<sub>6</sub> cycloalkylamino, C<sub>2</sub>-C<sub>6</sub> alkylcarbonyl, C<sub>2</sub>-C<sub>6</sub> alkoxycarbonyl, C<sub>2</sub>-C<sub>6</sub> alkylaminocarbonyl, C<sub>3</sub>-C<sub>8</sub> dialkylaminocarbonyl or C<sub>3</sub>-C<sub>6</sub> trialkylsilyl; or

R<sup>4a</sup> and R<sup>4b</sup> are each independently phenyl, benzyl or phenoxy, each optionally substituted with 1 to 3 substituents independently selected from R<sup>14</sup>;

R<sup>5</sup> is C<sub>1</sub>-C<sub>6</sub> alkyl, C<sub>2</sub>-C<sub>6</sub> alkenyl, C<sub>2</sub>-C<sub>6</sub> alkynyl, C<sub>3</sub>-C<sub>6</sub> cycloalkyl, C<sub>4</sub>-C<sub>7</sub> alkylcycloalkyl, C<sub>1</sub>-C<sub>6</sub> haloalkyl, C<sub>2</sub>-C<sub>6</sub> haloalkenyl, C<sub>2</sub>-C<sub>6</sub> haloalkynyl, C<sub>3</sub>-C<sub>6</sub> halocycloalkyl[[,]] or C<sub>4</sub>-C<sub>7</sub> haloalkylcycloalkyl, each substituted with 1 to 2 substituents independently selected from R<sup>11</sup>; or

R<sup>5</sup> is OR<sup>7</sup>, S(O)<sub>p</sub>R<sup>7</sup>, NR<sup>8</sup>R<sup>9</sup>, OS(O)<sub>2</sub>R<sup>10</sup>, NR<sup>9</sup>S(O)<sub>2</sub>R<sup>10</sup>, C(S)NH<sub>2</sub>, C(R<sup>13</sup>)=NOR<sup>13</sup>, C<sub>4</sub>-C<sub>7</sub> halocycloalkylalkyl, C<sub>1</sub>-C<sub>4</sub> alkylaminothiocarbonyl or C<sub>1</sub>-C<sub>4</sub> dialkylaminothiocarbonyl;

each R<sup>6</sup> is independently C<sub>1</sub>-C<sub>6</sub> alkyl, C<sub>2</sub>-C<sub>6</sub> alkenyl, C<sub>2</sub>-C<sub>6</sub> alkynyl, C<sub>3</sub>-C<sub>6</sub> cycloalkyl, C<sub>1</sub>-C<sub>6</sub> haloalkyl, C<sub>2</sub>-C<sub>6</sub> haloalkenyl, C<sub>2</sub>-C<sub>6</sub> haloalkynyl, C<sub>3</sub>-C<sub>6</sub> halocycloalkyl, halogen, CN, CO<sub>2</sub>H, C(O)NH<sub>2</sub>, NO<sub>2</sub>, hydroxy, C<sub>1</sub>-C<sub>4</sub> alkoxy, C<sub>1</sub>-C<sub>4</sub> haloalkoxy, C<sub>1</sub>-C<sub>4</sub> alkylthio, C<sub>1</sub>-C<sub>4</sub> alkylsulfinyl, C<sub>1</sub>-C<sub>4</sub> alkylsulfonyl, C<sub>1</sub>-C<sub>4</sub> haloalkylthio, C<sub>1</sub>-C<sub>4</sub> haloalkylsulfinyl, C<sub>1</sub>-C<sub>4</sub> haloalkylsulfonyl, C<sub>1</sub>-C<sub>4</sub> alkylamino, C<sub>2</sub>-C<sub>8</sub> dialkylamino, C<sub>3</sub>-C<sub>6</sub> cycloalkylamino, C<sub>2</sub>-C<sub>6</sub> alkylcarbonyl, C<sub>2</sub>-C<sub>6</sub> alkoxycarbonyl, C<sub>2</sub>-C<sub>6</sub> alkylaminocarbonyl, C<sub>3</sub>-C<sub>8</sub> dialkylaminocarbonyl[[,]] or C<sub>3</sub>-C<sub>6</sub> trialkylsilyl; or

- each R<sup>6</sup> is independently a phenyl, benzyl, benzoyl, phenoxy, 5- or 6-membered heteroaromatic ring or an aromatic 8-, 9- or 10-membered fused heterobicyclic ring system, each ring optionally substituted with 1 to 3 substituents independently selected from R<sup>14</sup>;
- each R<sup>7</sup> is independently C<sub>1</sub>-C<sub>6</sub> alkyl substituted with R<sup>12</sup>; or C<sub>2</sub>-C<sub>6</sub> alkenyl, C<sub>2</sub>-C<sub>6</sub> alkynyl, C<sub>3</sub>-C<sub>6</sub> cycloalkyl, C<sub>4</sub>-C<sub>7</sub> cycloalkylalkyl, C<sub>4</sub>-C<sub>7</sub> alkylcycloalkyl, C<sub>2</sub>-C<sub>6</sub> haloalkenyl, C<sub>2</sub>-C<sub>6</sub> haloalkynyl, C<sub>3</sub>-C<sub>6</sub> halocycloalkyl, C<sub>4</sub>-C<sub>7</sub> haloalkylcycloalkyl, C<sub>4</sub>-C<sub>7</sub> halocycloalkylalkyl or C<sub>2</sub>-C<sub>6</sub> haloalkylcarbonyl, each optionally substituted with one R<sup>12</sup>;
- R<sup>8</sup> is C<sub>1</sub>-C<sub>6</sub> alkyl, C<sub>2</sub>-C<sub>6</sub> alkenyl, C<sub>2</sub>-C<sub>6</sub> alkynyl, C<sub>3</sub>-C<sub>6</sub> cycloalkyl, C<sub>4</sub>-C<sub>7</sub> alkylcycloalkyl, C<sub>1</sub>-C<sub>6</sub> haloalkyl, C<sub>2</sub>-C<sub>6</sub> haloalkenyl, C<sub>2</sub>-C<sub>6</sub> haloalkynyl, C<sub>3</sub>-C<sub>6</sub> halocycloalkyl, C<sub>4</sub>-C<sub>7</sub> haloalkylcycloalkyl or C<sub>2</sub>-C<sub>6</sub> haloalkylcarbonyl, each substituted with one R<sup>12</sup>;
- R<sup>9</sup> is H; or C<sub>1</sub>-C<sub>6</sub> alkyl, C<sub>2</sub>-C<sub>6</sub> alkenyl, C<sub>2</sub>-C<sub>6</sub> alkynyl, C<sub>3</sub>-C<sub>6</sub> cycloalkyl, C<sub>4</sub>-C<sub>7</sub> alkylcycloalkyl, C<sub>1</sub>-C<sub>6</sub> haloalkyl, C<sub>2</sub>-C<sub>6</sub> haloalkenyl, C<sub>2</sub>-C<sub>6</sub> haloalkynyl, C<sub>3</sub>-C<sub>6</sub> halocycloalkyl or C<sub>4</sub>-C<sub>7</sub> haloalkylcycloalkyl, each optionally substituted with one R<sup>12</sup>;
- R<sup>10</sup> is C<sub>1</sub>-C<sub>6</sub> alkyl, C<sub>2</sub>-C<sub>6</sub> alkenyl, C<sub>2</sub>-C<sub>6</sub> alkynyl, C<sub>3</sub>-C<sub>6</sub> cycloalkyl, C<sub>4</sub>-C<sub>7</sub> alkylcycloalkyl, C<sub>1</sub>-C<sub>6</sub> haloalkyl, C<sub>2</sub>-C<sub>6</sub> haloalkenyl, C<sub>2</sub>-C<sub>6</sub> haloalkynyl, C<sub>3</sub>-C<sub>6</sub> halocycloalkyl or C<sub>4</sub>-C<sub>7</sub> haloalkylcycloalkyl, each optionally substituted with one R<sup>12</sup>;
- each R<sup>11</sup> is independently C<sub>1</sub>-C<sub>6</sub> alkoxy, C<sub>1</sub>-C<sub>6</sub> haloalkoxy, C<sub>1</sub>-C<sub>6</sub> alkylthio, C<sub>1</sub>-C<sub>6</sub> haloalkylthio, C<sub>1</sub>-C<sub>6</sub> alkylsulfinyl, C<sub>1</sub>-C<sub>6</sub> haloalkylsulfinyl, C<sub>1</sub>-C<sub>6</sub> alkylsulfonyl, C<sub>1</sub>-C<sub>6</sub> haloalkylsulfonyl, CN or C<sub>2</sub>-C<sub>4</sub> alkoxycarbonyl;
- each R<sup>12</sup> is independently C<sub>1</sub>-C<sub>6</sub> alkoxy, C<sub>1</sub>-C<sub>6</sub> haloalkoxy, C<sub>1</sub>-C<sub>6</sub> alkylthio, C<sub>1</sub>-C<sub>6</sub> haloalkylthio, C<sub>1</sub>-C<sub>6</sub> alkylsulfinyl, C<sub>1</sub>-C<sub>6</sub> haloalkylsulfinyl, C<sub>1</sub>-C<sub>6</sub> alkylsulfonyl, C<sub>1</sub>-C<sub>6</sub> haloalkylsulfonyl, CN, NO<sub>2</sub>, C<sub>2</sub>-C<sub>4</sub> alkoxycarbonyl, C<sub>1</sub>-C<sub>6</sub> alkylamino or C<sub>2</sub>-C<sub>6</sub> dialkylamino; or
- each R<sup>12</sup> is independently a phenyl or a 5- or 6-membered heteroaromatic ring, each ring optionally substituted with 1 to 3 substituents independently selected from R<sup>14</sup>;
- each R<sup>13</sup> is independently H, C<sub>1</sub>-C<sub>4</sub> alkyl[[.]] or C<sub>1</sub>-C<sub>4</sub> haloalkyl;
- each R<sup>14</sup> is independently C<sub>1</sub>-C<sub>4</sub> alkyl, C<sub>2</sub>-C<sub>4</sub> alkenyl, C<sub>2</sub>-C<sub>4</sub> alkynyl, C<sub>3</sub>-C<sub>6</sub> cycloalkyl, C<sub>1</sub>-C<sub>4</sub> haloalkyl, C<sub>2</sub>-C<sub>4</sub> haloalkenyl, C<sub>2</sub>-C<sub>4</sub> haloalkynyl, C<sub>3</sub>-C<sub>6</sub> halocycloalkyl, halogen, CN, NO<sub>2</sub>, C<sub>1</sub>-C<sub>4</sub> alkoxy, C<sub>1</sub>-C<sub>4</sub> haloalkoxy, C<sub>1</sub>-C<sub>4</sub> alkylthio, C<sub>1</sub>-C<sub>4</sub> alkylsulfinyl, C<sub>1</sub>-C<sub>4</sub> alkylsulfonyl, C<sub>1</sub>-C<sub>4</sub> alkylamino, C<sub>2</sub>-C<sub>8</sub> dialkylamino, C<sub>3</sub>-C<sub>6</sub> cycloalkylamino, C<sub>3</sub>-C<sub>6</sub> (alkyl)cycloalkylamino, C<sub>2</sub>-C<sub>4</sub>

alkylcarbonyl, C<sub>2</sub>-C<sub>6</sub> alkoxy carbonyl, C<sub>2</sub>-C<sub>6</sub> alkylaminocarbonyl, C<sub>3</sub>-C<sub>8</sub> dialkylaminocarbonyl or C<sub>3</sub>-C<sub>6</sub> trialkylsilyl;

n is 0, 1, 2, 3 or 4; and

p is 0, 1 or 2.

2. (original) The compound of Claim 1 wherein

R<sup>1</sup> is H, C<sub>1</sub>-C<sub>4</sub> alkyl, C<sub>2</sub>-C<sub>4</sub> alkenyl, C<sub>2</sub>-C<sub>4</sub> alkynyl, C<sub>3</sub>-C<sub>6</sub> cycloalkyl, C<sub>2</sub>-C<sub>6</sub> alkylcarbonyl or C<sub>2</sub>-C<sub>6</sub> alkoxy carbonyl;

R<sup>2</sup> is H, C<sub>1</sub>-C<sub>4</sub> alkyl, C<sub>2</sub>-C<sub>4</sub> alkenyl, C<sub>2</sub>-C<sub>4</sub> alkynyl, C<sub>3</sub>-C<sub>6</sub> cycloalkyl, C<sub>2</sub>-C<sub>6</sub> alkylcarbonyl or C<sub>2</sub>-C<sub>6</sub> alkoxy carbonyl;

R<sup>3</sup> is C<sub>1</sub>-C<sub>6</sub> alkyl, C<sub>2</sub>-C<sub>6</sub> alkenyl, C<sub>2</sub>-C<sub>6</sub> alkynyl or C<sub>3</sub>-C<sub>6</sub> cycloalkyl each optionally substituted with 1 to 5 substituents independently selected from the group consisting of halogen, CN, C<sub>1</sub>-C<sub>2</sub> alkoxy, C<sub>1</sub>-C<sub>2</sub> alkylthio, C<sub>1</sub>-C<sub>2</sub> alkylsulfinyl and C<sub>1</sub>-C<sub>2</sub> alkylsulfonyl;

R<sup>4a</sup> and R<sup>4b</sup> are each independently H, C<sub>1</sub>-C<sub>4</sub> alkyl, C<sub>1</sub>-C<sub>4</sub> haloalkyl, halogen, CN, NO<sub>2</sub>, C<sub>1</sub>-C<sub>4</sub> alkoxy, C<sub>1</sub>-C<sub>4</sub> haloalkoxy, C<sub>1</sub>-C<sub>4</sub> alkylthio, C<sub>1</sub>-C<sub>4</sub> alkylsulfinyl, C<sub>1</sub>-C<sub>4</sub> alkylsulfonyl, C<sub>1</sub>-C<sub>4</sub> haloalkylthio, C<sub>1</sub>-C<sub>4</sub> haloalkylsulfinyl or C<sub>1</sub>-C<sub>4</sub> haloalkylsulfonyl;

each R<sup>6</sup> is independently C<sub>1</sub>-C<sub>4</sub> alkyl, C<sub>1</sub>-C<sub>4</sub> haloalkyl, halogen, CN, NO<sub>2</sub>, C<sub>1</sub>-C<sub>4</sub> alkoxy, C<sub>1</sub>-C<sub>4</sub> haloalkoxy, C<sub>1</sub>-C<sub>4</sub> alkylthio, C<sub>1</sub>-C<sub>4</sub> alkylsulfinyl, C<sub>1</sub>-C<sub>4</sub> alkylsulfonyl, C<sub>1</sub>-C<sub>4</sub> haloalkylthio, C<sub>1</sub>-C<sub>4</sub> haloalkylsulfinyl, C<sub>1</sub>-C<sub>4</sub> haloalkylsulfonyl or C<sub>2</sub>-C<sub>4</sub> alkoxy carbonyl; and

n is 0, 1 or 2.

3. (currently amended) The compound of Claim 2 wherein:

Y and V are each independently N or CH;

W is N, CH, CF, CCl, CBr or Cl;

R<sup>1</sup> is H;

R<sup>2</sup> is H or CH<sub>3</sub>;

R<sup>3</sup> is C<sub>1</sub>-C<sub>4</sub> alkyl optionally substituted with 1 to 5 substituents independently selected from the group consisting of halogen, CN, OCH<sub>3</sub> and S(O)<sub>p</sub>CH<sub>3</sub>;

R<sup>4a</sup> and R<sup>4b</sup> are each independently H, CH<sub>3</sub>, CF<sub>3</sub>, OCF<sub>3</sub>, OCHF<sub>2</sub>, S(O)<sub>p</sub>CF<sub>3</sub>, S(O)<sub>p</sub>CHF<sub>2</sub>, CN or halogen;

each R<sup>6</sup> is independently halogen, CN, CH<sub>3</sub>, CF<sub>3</sub>, OCHF<sub>2</sub>, S(O)<sub>p</sub>CF<sub>3</sub>, S(O)<sub>p</sub>CHF<sub>2</sub>, OCH<sub>2</sub>CF<sub>3</sub>, OCF<sub>2</sub>CHF<sub>2</sub>, S(O)<sub>p</sub>CH<sub>2</sub>CF<sub>3</sub> or S(O)<sub>p</sub>CF<sub>2</sub>CHF<sub>2</sub>; and

n is 0 or 1.

4. (currently amended) The ~~compounds~~ compound of Claim 3 wherein

W is N; and

R<sup>4a</sup> and R<sup>4b</sup> are each independently H, CH<sub>3</sub>, CF<sub>3</sub>, CN or halogen.

5. (original) The compound of Claim 4 wherein

R<sup>3</sup> is C<sub>1</sub>-C<sub>4</sub> alkyl;  
R<sup>4a</sup> is H, CH<sub>3</sub>, Cl, Br or I;  
R<sup>4b</sup> is H, F, Cl, Br, I, CN or CF<sub>3</sub>;  
R<sup>5</sup> is OS(O)<sub>2</sub>CH<sub>3</sub>, OS(O)<sub>2</sub>CF<sub>3</sub>, CF<sub>2</sub>O(C<sub>1</sub>-C<sub>4</sub> alkyl), CF<sub>2</sub>S(C<sub>1</sub>-C<sub>4</sub> alkyl) or C<sub>3</sub>-C<sub>4</sub> haloalkenyloxy; and  
R<sup>6</sup> is CH<sub>3</sub>, CF<sub>3</sub>, OCH<sub>2</sub>CF<sub>3</sub>, OCHF<sub>2</sub> or halogen at position 2.

6. (currently amended) The ~~compounds~~ compound of Claim 4 wherein

R<sup>3</sup> is C<sub>1</sub>-C<sub>4</sub> alkyl;  
R<sup>4a</sup> is H, CH<sub>3</sub>, Cl, Br or I;  
R<sup>4b</sup> is H, F, Cl, Br, I, CN or CF<sub>3</sub>; and  
R<sup>5</sup> is C<sub>2</sub>-C<sub>6</sub> alkenyloxy, C<sub>2</sub>-C<sub>6</sub> alkynyloxy, C<sub>1</sub>-C<sub>6</sub> alkoxy substituted with CN or C<sub>1</sub>-C<sub>2</sub> alkoxy.

7. (currently amended) The ~~compounds~~ compound of Claim 4 wherein

R<sup>3</sup> is C<sub>1</sub>-C<sub>4</sub> alkyl;  
R<sup>4a</sup> is H, CH<sub>3</sub>, Cl, Br or I;  
R<sup>4b</sup> is H, F, Cl, Br, I, CN or CF<sub>3</sub>; and  
R<sup>5</sup> is C(R<sup>13</sup>)=NOR<sup>13</sup>.

8. (original) A composition of controlling an invertebrate pest comprising biologically effective amount of a compound of Claim 1 and at least one additional component selected from the group consisting of a surfactant, a solid diluent, and a liquid diluent, said composition optionally further comprising an effective amount of at least one additional biologically active compound or agent.

9. (currently amended) The composition of Claim 8 wherein the additional biologically active compound or agent is present and is selected from the group consisting of cypermethrin, cyhalothrin, cyfluthrin, beta-cyfluthrin, esfenvalerate, fenvalerate, tralomethrin, fenothicarb, methomyl, oxamyl, thiodicarb, clothianidin, imidacloprid, thiocloprid, indoxacarb, spinosad, abamectin, avermectin, emamectin,  $\gamma$ -aminobutyric acid, endosulfan, ethiprole, fipronil, flufenoxuron, triflumuron, diofenolan, pyriproxyfen, pymetrozine, amitraz, ~~*Beaillus thuringiensis*~~ *Bacillus thuringiensis*, ~~*Bacillus thuringiensis*~~ *Bacillus thuringiensis* delta endotoxin, a member of the family Baculoviridae, and entomophagous fungi.

10. (original) A method for controlling an invertebrate pest comprising contacting the invertebrate pest or its environment with a biologically effective amount of a compound of Claim 1 or with a biologically effective amount of a composition of Claim 8.

11. (currently amended) The method of Claim 10 wherein the invertebrate pest is a cockroach, an ant or a termite which contacts the compound by consuming a bait composition comprising the compound or the composition.

12. (currently amended) The method of Claim 10 wherein the invertebrate pest is a mosquito, a black fly, a stable[[,]] fly, a deer fly, a horse fly, a wasp, a yellow jacket, a hornet, a tick, a spider, an ant, or a gnat which is contacted by a spray composition comprising the compound or the composition dispensed from a spray container.

13. (canceled) A spray composition, comprising:

- (a) a compound of Claim 1 or a composition of Claim 8; and
- (b) a propellant.

14. (canceled) A bait composition, comprising:

- (a) a compound of Claim 1 or a composition of Claim 8;
- (b) one or more food materials;
- (c) optionally an attractant; and
- (c) optionally a humectant.

15. (canceled) A device for controlling an invertebrate pest, comprising:

- (a) the bait composition of Claim 14; and
- (b) a housing adapted to receive the bait composition, wherein the housing has at least one opening sized to permit the invertebrate pest to pass through the opening so the invertebrate pest can gain access to the bait composition from a location outside the housing, and wherein the housing is further adapted to be placed in or near a locus of potential or known activity for the invertebrate pest.